

My VYVGART® Path

You've just been prescribed VYVGART.

What's Next?

This guide outlines what steps are unfolding as you start your VYVGART journey.



VYVGART®
(efgartigimod alfa-fcab)
Injection for Intravenous Use
400 mg/20 mL vial

VYVGART® Hytrulo
(efgartigimod alfa and
hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial

My VYVGART Path is here for you throughout your journey



When you enroll in the My VYVGART Path Patient Support Program, you will receive personalized support from committed Nurse Case Managers (NCMs) and Access Managers. The team at My VYVGART Path is here to listen to your needs, help navigate insurance, and provide resources throughout the treatment journey. If you're not enrolled already, **ask your doctor to sign you up.**

YOUR JOURNEY TO STARTING VYVGART



➔ Each insurance company's timeline will vary.

Benefits verification



What does your insurance cover?

Your insurance is contacted to get proper information about your coverage for VYVGART. During this step, your doctor's office will be preparing all necessary paperwork.

Determine treatment location



Where will you go to receive VYVGART?

Your doctor will work with you and your insurance provider to find a location where you can receive VYVGART. Possible locations include an infusion center, physician's office, and in some cases, your home.* At this point, you're one step closer to starting treatment!

Infusion center: These centers specialize in infusion treatments and have experienced staff to help you through the infusion process.

*In some cases, VYVGART for IV infusion and VYVGART Hytrulo for subcutaneous injection may also be given at home by a trained nurse.

NCM=Nurse Case Manager

Please see Important Safety Information on page 7. Please see the full Prescribing Information for VYVGART for IV infusion and VYVGART HYTRULO for subcutaneous injection.

Prior authorization



What does your plan cover and at what cost?

You may need a prior authorization (PA) before you start treatment, depending on your insurance. As time goes on, you may be wondering when you can start treatment. Just remember, if there are any requests from your insurance provider, do your best to answer them in a timely manner.

? What is prior authorization?

Prior authorization is a pre-approval your insurance provider may require before you can receive coverage for certain healthcare services or medications.

What if my insurance denies coverage for VYVGART?

You may still be able to receive treatment, but your out-of-pocket costs may be high if you do not obtain insurance coverage. If you're denied coverage for VYVGART, the team at My VYVGART Path may be able to assist your healthcare provider with the appeal process. If the appeal process is exhausted, an NCM from My VYVGART Path may be able to provide information on potential financial assistance programs.

NCM=Nurse Case Manager

Visit [VYVGART.com/glossary](https://www.vyvgart.com/glossary) for a glossary of terms.

Please see Important Safety Information on page 7. Please see the full Prescribing Information for VYVGART for IV infusion and VYVGART HYTRULO for subcutaneous injection.

Scheduling



Setting up your first VYVGART treatment

Your first VYVGART treatment is getting closer! Once you have received your prior authorization (if needed), it's time to schedule your first appointment for VYVGART. You will be contacted by a specialty pharmacy or your doctor's office. This call will go over coverage, how you'll get your treatment, and any out-of-pocket costs.

My VYVGART Path will help coordinate with the infusion center to schedule your first injection or infusion appointment. Make sure that you communicate which days are best for your VYVGART appointments.

PREPARING FOR YOUR FIRST APPOINTMENT

It is important to keep track of your symptoms during treatment with VYVGART for IV infusion or VYVGART Hytrulo for subcutaneous injection. Be sure to share this information with your neurologist, as it may help them determine your next VYVGART treatment cycle. Learn more at [VYVGART.com](https://www.vyvgart.com) or speak to your Nurse Case Manager for resources available to assist you with symptom tracking.

Starting treatment



What to expect on VYVGART

The moment is here! You are now ready to begin your first VYVGART treatment cycle.



VYVGART for IV infusion is given over 1 hour*

Where you will likely receive VYVGART for IV infusion

- 1 At an **infusion center**
- 2 In your **neurologist's office**
- 3 At **home**[†]



VYVGART Hytrulo for subcutaneous injection usually takes 30 to 90 seconds to inject[‡]

Where you will likely receive VYVGART Hytrulo for subcutaneous injection

- 1 At an **infusion center**
- 2 In your **doctor's office**
- 3 At **home**[†]

*For at least 1 hour after your infusion, a healthcare professional will monitor you for reactions.

[†]In some cases, VYVGART for IV infusion and VYVGART Hytrulo for subcutaneous injection may also be given at home by a trained nurse.

[‡]For at least 30 minutes after your injection, a healthcare professional will monitor you for reactions.

IV=intravenous

Please see Important Safety Information on page 7. Please see the full Prescribing Information for VYVGART for IV infusion and VYVGART HYTRULO for subcutaneous injection.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and VYVGART® HYTRULO (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO may cause serious side effects, including:

- **Infection.** VYVGART and VYVGART HYTRULO may increase the risk of infection. The most common infections for efgartigimod alfa-fcab-treated patients were urinary tract and respiratory tract infections. More patients on efgartigimod alfa-fcab vs placebo had below normal levels for white blood cell counts, lymphocyte counts, and neutrophil counts. The majority of infections and observed lower white blood cell counts were mild to moderate in severity. Your healthcare provider should check you for infections before starting treatment, during treatment, and after treatment with VYVGART or VYVGART HYTRULO. Tell your healthcare provider if you have any history of infections. Tell your healthcare provider right away if you have signs or symptoms of an infection during treatment with VYVGART or VYVGART HYTRULO such as fever, chills, frequent and/or painful urination, cough, pain and blockage of nasal passages/sinus, wheezing, shortness of breath, fatigue, sore throat, excess phlegm, nasal discharge, back pain, and/or chest pain. If a serious infection occurs, your doctor will treat your infection and may even stop your VYVGART or VYVGART HYTRULO treatment until the infection has resolved.
- **Undesirable immune reactions (hypersensitivity reactions).** VYVGART and VYVGART HYTRULO can cause the immune system to have undesirable reactions such as rashes, swelling under the skin, and shortness of breath. Hives were also observed in patients treated with VYVGART HYTRULO. In clinical studies, the reactions were mild or moderate and occurred within 1 hour to 3 weeks of administration, and the reactions did not lead to treatment discontinuation. Your healthcare provider should monitor you during and after treatment and discontinue VYVGART or VYVGART HYTRULO if needed. Tell your healthcare provider immediately about any undesirable reactions to VYVGART or VYVGART HYTRULO.

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you:

- Have a history of infection or you think you have an infection.
- Have received or are scheduled to receive a vaccine (immunization). Discuss with your healthcare provider whether you need to receive age-appropriate immunizations before initiation of a new treatment cycle with VYVGART or VYVGART HYTRULO. The use of vaccines during treatment with VYVGART or VYVGART HYTRULO has not been studied, and the safety with live or live-attenuated vaccines is unknown. Administration of live or live-attenuated vaccines is not recommended during treatment with VYVGART or VYVGART HYTRULO.
- Are pregnant or plan to become pregnant and are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the common side effects of VYVGART and VYVGART HYTRULO?

The most common side effects of efgartigimod-alfa-fcab-treated patients were respiratory tract infection, headache, and urinary tract infection. Additional common side effects with VYVGART HYTRULO are injection site reactions, including rash, redness of the skin, itching sensation, bruising, pain, and hives.

These are not all the possible side effects of VYVGART and VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to the US Food and Drug Administration at 1-800-FDA-1088.

What is VYVGART for IV infusion and what is VYVGART HYTRULO for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines, each used to treat a condition called generalized myasthenia gravis, which causes muscles to tire and weaken easily throughout the body, in adults who are positive for antibodies directed toward a protein called acetylcholine receptor (anti-AChR antibody positive).

Please see the full Prescribing Information for [VYVGART](#) and the full Prescribing Information for [VYVGART HYTRULO](#), and talk to your doctor.

Not enrolled in My VYVGART Path?

There are **2 options to sign up** once your doctor has prescribed you VYVGART:

OPTION 1

Speak with your doctor and ask to be enrolled in My VYVGART Path.



OPTION 2

Scan the QR code to download the patient form.



Once enrolled in My VYVGART Path, you will receive an introductory call from a Nurse Case Manager to welcome you into the program.



Learn more at MyVYVGARTPath.com

VYVGART®
(efgartigimod alfa-fcab)
Injection for Intravenous Use
400 mg/20 mL vial

VYVGART® Hytrulo
(efgartigimod alfa and
hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial

My VYVGART® *Path*

VYVGART is a registered trademark of argenx.

VYVGART Hytrulo is a trademark of argenx.

For U.S. audiences only.

©2023 argenx US-VYV-23-00226 V1 10/2023

argenx 