



You've just been prescribed VYVGART Hytrulo for CIDP

What's Next?

This guide outlines what steps are unfolding as you start your VYVGART Hytrulo treatment journey.


CIDP=chronic inflammatory demyelinating polyneuropathy



VYVGART® Hytrulo
(efgartigimod alfa and hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial

Please see Important Safety Information on page 7. Please see the full Prescribing Information for VYVGART HYTRULO.

Personalized support for every step of your journey



My VYVGART Path is a Patient Support Program that pairs you with a dedicated Nurse Case Manager (NCM), who can help you navigate insurance, offer resources, talk through your challenges, and more.

Once enrolled in My VYVGART Path, you will receive a call from an NCM to welcome you into the program. A welcome kit will be mailed to you that includes helpful treatment-related resources.

Your journey to starting VYVGART Hytrulo



➔ **Each insurance company's timeline will vary**

NCM = Nurse Case Manager

Please see [Important Safety Information](#) on page 7. Please see the full [Prescribing Information](#) for VYVGART HYTRULO.

Benefits verification



What does your insurance cover?

Your insurance is contacted to get proper information about your coverage for VYVGART Hytrulo. During this step, your doctor's office will be preparing all necessary paperwork.

Determine treatment location



Where will you go to receive VYVGART Hytrulo?

Your doctor will work with you and your insurance provider to find a location where you can receive VYVGART Hytrulo. Possible locations include an infusion center, physician's office, and, in some cases, your home.*

*In some cases, VYVGART Hytrulo may also be given at home by a trained nurse.

Please see Important Safety Information on page 7. Please see the full Prescribing Information for VYVGART HYTRULO.

Prior authorization



What is prior authorization?

You may need a prior authorization (PA) before you start treatment, depending on your insurance. PA is a pre-approval your insurance provider may require before you can receive coverage for certain healthcare services or prescriptions.

What if my insurance denies coverage for VYVGART Hytrulo?

You may still be able to receive treatment, but your out-of-pocket costs may be high if you do not obtain insurance coverage. If you're denied coverage for VYVGART Hytrulo, the team at My VYVGART Path may be able to assist your healthcare provider with the appeal process. If the appeal process is exhausted, an NCM from My VYVGART Path may be able to provide information on potential financial assistance programs.

➔ Download the insurance and coverage guide

Learn more about the insurance process and see how the My VYVGART Path team may assist you in accessing VYVGART Hytrulo.

Scan this QR code to download the guide or visit MyVYVGARTPathCIDP.com/CostandCoverage



NCM=Nurse Case Manager; PA=prior authorization

Scheduling



Setting up your first VYVGART Hytrulo treatment

Once you have received your PA, it's time to schedule your first appointment for VYVGART Hytrulo. You will be contacted by a specialty pharmacy or your doctor's office. This call will go over coverage, how you'll get your treatment, and any out-of-pocket costs.

My VYVGART Path will help coordinate with the treatment center to schedule your first injection appointment. Make sure that you communicate which days are best for your VYVGART Hytrulo appointments.

Preparing for your first appointment

It is important to keep track of your abilities during treatment, so you and your doctor can work together to better identify your treatment goals.



Starting treatment for CIDP

What can I expect during administration of VYVGART Hytrulo?

- ➔ One injection given weekly that takes **~30 to 90 seconds**.*
- ➔ A single subcutaneous injection, delivered under the skin, that **does not require vein access**.
- ➔ Given at a **doctor's office, infusion center, or at home** by a healthcare professional.†



If you miss a dose, you can schedule a makeup treatment up to 3 days after the missed appointment. If that 3-day window closes before you're able to receive an injection, continue with your original dosing schedule.

*After administering your injection, your healthcare provider will monitor you for allergic reactions for at least 30 minutes.

†In some cases, VYVGART Hytrulo may also be given at home by a trained nurse.

CIDP=chronic inflammatory demyelinating polyneuropathy

Visit [VYVGARTHytruloCIDP.com/glossary](https://www.vyvgarthytrulo.com/glossary) for a glossary of terms.

SELECT IMPORTANT SAFETY INFORMATION

Tell your doctor if you have signs or symptoms of an infection, allergic reaction, or infusion-related reaction. These can happen while you are receiving your VYVGART HYTRULO treatment or afterward. Your doctor may need to pause or stop your treatment. Contact your doctor immediately if you have signs or symptoms of a serious allergic reaction.

Please see Important Safety Information on page 7. Please see the full Prescribing Information for VYVGART HYTRULO.

IMPORTANT SAFETY INFORMATION

Do not use VYVGART HYTRULO if you have a serious allergy to efgartigimod alfa, hyaluronidase, or any of the other ingredients in VYVGART HYTRULO. VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

VYVGART HYTRULO may cause serious side effects, including:

- **Infection.** VYVGART HYTRULO may increase the risk of infection. The most common infections for efgartigimod alfa-fcab-treated patients were urinary tract and respiratory tract infections. Signs or symptoms of an infection may include fever, chills, frequent and/or painful urination, cough, pain and blockage of nasal passages/sinus, wheezing, shortness of breath, fatigue, sore throat, excess phlegm, nasal discharge, back pain, and/or chest pain.
- **Allergic Reactions (hypersensitivity reactions).** VYVGART HYTRULO can cause allergic reactions such as rashes, swelling under the skin, and shortness of breath. Hives were also observed in patients treated with VYVGART HYTRULO. Serious allergic reactions, such as trouble breathing and decrease in blood pressure leading to fainting have been reported with efgartigimod alfa-fcab.
- **Infusion-Related Reactions.** VYVGART HYTRULO can cause infusion-related reactions. The most frequent symptoms and signs reported with efgartigimod alfa-fcab were high blood pressure, chills, shivering, and chest, abdominal, and back pain.

Tell your doctor if you have signs or symptoms of an infection, allergic reaction, or infusion-related reaction. These can happen while you are receiving your VYVGART HYTRULO treatment or afterward. Your doctor may need

to pause or stop your treatment. Contact your doctor immediately if you have signs or symptoms of a serious allergic reaction.

Before taking VYVGART HYTRULO, tell your doctor if you:

- take any medicines, including prescription and non-prescription medicines, supplements, or herbal medicines,
- have received or are scheduled to receive a vaccine (immunization), or
- have any allergies or medical conditions, including if you are pregnant or planning to become pregnant, or are breastfeeding.

What are the common side effects of VYVGART HYTRULO?

The most common side effects in efgartigimod-alfa-fcab-treated patients were respiratory tract infection, headache, and urinary tract infection. Additional common side effects with VYVGART HYTRULO are injection site reactions, including rash, redness of the skin, itching sensation, bruising, pain, and hives.

These are not all the possible side effects of VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to the US Food and Drug Administration at 1-800-FDA-1088.

What is VYVGART® HYTRULO (efgartigimod alfa and hyaluronidase-qvfc)?

VYVGART HYTRULO is a prescription medicine used for the treatment of adult patients with chronic inflammatory demyelinating polyneuropathy (CIDP)

Please see the full Prescribing Information for VYVGART HYTRULO and talk to your doctor.

Not enrolled in My VYVGART Path?

There are **2 options to enroll** once your doctor has prescribed you VYVGART Hytrulo:

OPTION 1

Speak with your doctor and ask to be enrolled in My VYVGART Path.



OPTION 2

Scan the QR code to download the patient enrollment form.



Once enrolled in My VYVGART Path, you will receive a call from a Nurse Case Manager to welcome you into the program



Learn more at MyVYVGARTPathCIDP.com

My VYVGART® Path

VYVGART® Hytrulo
(efgartigimod alfa and hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial

VYVGART is a registered trademark of argenx.
VYVGART Hytrulo is a trademark of argenx.
For U.S. audiences only.
©2024 argenx US-VYV_HYT-24-00063 V1 06/2024

argenx 